

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : C11B 9/00, A61K 7/46	A1	(11) International Publication Number: WO 96/30470	(43) International Publication Date: 3 October 1996 (03.10.96)
---	----	---	---

(21) International Application Number: PCT/EP96/01098
(22) International Filing Date: 7 March 1996 (07.03.96)

(30) Priority Data:
95104441.1 25 March 1995 (25.03.95) EP
(34) Countries for which the regional or
international application was filed: GB et al.

(71) Applicant (for all designated States except US): QUEST INTERNATIONAL [NL/NL]; Huizerstraatweg 28, NL-1411 GP Naarden (NL).

(72) Inventor; and

(75) Inventor/Applicant (for US only): SELL, Charles, Stanley [GB/GB]; "Woodlands", Smeeth, Near Ashford, Kent TN25 6QL (GB).

(81) Designated States: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: FRAGRANCE MATERIAL

(57) Abstract

The amide N-ethyl-N-(3-methylphenyl)propionamide has been found to have attractive fragrance characteristics of the woody, vetiver type and so is used for imparting useful fragrance properties to fragrance compositions and to fragranced products.

BEST AVAILABLE COPY

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

Fragrance Material

Field of Invention

- 5 This invention concerns the use of an amide as a fragrance material.

Background to the Invention

- 10 N-Ethyl-N-(3-methylphenyl)propionamide is a known chemical compound. Although it is not recorded in Chemical Abstracts nor is it in Beilsteins's Handbuch, it is included (under the alternative chemical name m-propionotoluamide, N-ethyl) in a single line entry as one of many thousands of entries in the US Department of Agriculture's
15 Agriculture Handbook No. 69 issued May 1954 entitled "Chemicals Evaluated as Insecticides and Repellents at Orlando, Fla." In this handbook, this amide is reported to have insect repellent properties. However, the compound has so far never been put to practical use as an insect
20 repellent.

- Some amides are known to have useful organoleptic properties. Thus, N-methyl-N-phenyl-2-ethylbutyramide is described in NL-A-7210523 as being useful as a fragrance
25 and flavour material and having a grapefruit-like odour note.

Outline of the Invention

- It has now been found that N-ethyl-N-(3-methylphenyl)-
30 propionamide has interesting organoleptic properties. Thus, in one aspect the invention provides use of N-ethyl-N-(3-methylphenyl)propionamide in fragrance compositions.

- In another aspect the invention provides use of N-ethyl-N-
35 (3-methylphenyl)propionamide for imparting useful fragrance properties to a fragranced product.

Furthermore an aspect of the invention are fragrance compositions comprising an olfactively effective amount of N-ethyl-N-(3-methylphenyl)propionamide.

- 5 Also within the scope of the invention is a process for preparing fragrance compositions comprising adding to known fragrance materials an olfactively effective amount of N-ethyl-N-(3-methylphenyl)propionamide.
- 10 A fragrance composition means a composition comprising various fragrance materials, and optionally a solvent, formulated to have certain useful fragrance characteristics. In most cases fragrance compositions are formulated to have a fragrance generally considered at
- 15 least inoffensive and preferably pleasing to intended users of the composition. Fragrance compositions are used for imparting a desired odour to the skin and/or any product for which an agreeable odour is indispensable or desirable. Examples of such products are personal and household
- 20 products including fabric washing powders, washing liquids, fabric softeners and other fabric care products; detergents and household cleaning, scouring and disinfection products; air fresheners, room sprays and pomanders; fine fragrances; soaps, bath and shower gels, shampoos, hair conditioners
- 25 and other personal cleansing products; cosmetics such as creams, ointments, toilet waters, preshave, aftershave, skin- and other lotions, talcum powders, body deodorants and antiperspirants etc. Fragrance compositions are also used in products that would normally have an unattractive
- 30 or offensive odour to mask this odour and produce an odour that is less unattractive or offensive. Products in this category include fuel odorants. The (pleasing) fragrance characteristics may be the main function of the product in which the fragrance compositions has been incorporated, as
- 35 in the case of a fine fragrance, or may be ancillary to the main function of the product, as e.g. in the case of detergents, cleaning products and skin care products.

The amide of the invention has attractive fragrance characteristics. The odour type is woody, vetiver-like, agarwood (or oud wood), Cashmeran (Cashmeran is a Trade Mark) and spicy with a grapefruit top note. The amide of
5 the invention has good odour tenacity, and lasts more than 24 hours on smelling strip. Thus, the woody, vetiver-like, and agarwood odour notes are of particular importance.

The fragrance characteristics of the amide of the invention
10 mean that it finds potential application as a fragrance material in a wide range of fragrance compositions and fragranced products, including those noted above. The woody vetiver-like odour means that it is particularly useful in fine fragrances.

15 Also, although the amide has never found any practical use as insect repellent as such, it synergistically provides useful insect repellent properties to fragrance compositions in which it is comprised or enhances such
20 properties already present due to other components in the fragrance composition.

Other fragrance materials which can be advantageously combined with the amide according to the invention in a
25 fragrance composition are, for example, natural products such as extracts, essential oils, absolutes, resinoids, resins, concretes etc., but also synthetic materials such as hydrocarbons, alcohols, aldehydes, ketones, ethers, acids, esters, acetals, ketals, nitriles, etc., including
30 saturated and unsaturated compounds, aliphatic, carbocyclic and heterocyclic compounds.

Such fragrance materials are mentioned, for example, in S. Arctander, Perfume and Flavor Chemicals (Montclair, N.J.,
35 1969), in S. Arctander, Perfume and Flavor Materials of Natural Origin (Elizabeth, N.J., 1960) and in "Flavor and

Fragrance Materials - 1991", Allured Publishing Co.
Wheaton, Ill. USA.

Examples of fragrance materials which can be used in
5 combination with the amide according to the invention are:
geraniol, geranyl acetate, linalol, linalyl acetate,
tetrahydrolinalol, citronellol, citronellyl acetate,
dihydromyrcenol, dihydromyrcenyl acetate, tetrahydro-
myrcenol, terpineol, terpinyl acetate, nopol, nopyl
10 acetate, 2-phenylethanol, 2-phenylethyl acetate, benzyl
alcohol, benzyl acetate, benzyl salicylate, styrallyl
acetate, benzyl benzoate, amyl salicylate, dimethylbenzyl-
carbinol, trichloromethylphenylcarbinyl acetate, p-tert-
butylcyclohexyl acetate, isononyl acetate, vetiveryl
15 acetate, vetiverol, α -hexylcinnamaldehyde, 2-methyl-
3-(p-tert-butylphenyl)propanal, 2-methyl-3-(p-isopropyl-
phenyl)propanal, 3-(p-tert-butylphenyl)-propanal,
2,4-dimethylcyclohex-3-enyl-carboxaldehyde, tricyclodecenyl
acetate, tricyclodecenyl propionate, 4-(4-hydroxy-4-
20 methylpentyl)-3-cyclohexenecarboxaldehyde, 4-(4-methyl-3-
pentenyl)-3-cyclohexenecarboxaldehyde, 4-acetoxy-
3-pentyltetrahydropyran, 3-carboxymethyl-2-pentyl-
cyclopentane, 2-n-heptylcyclopentanone, 3-methyl-2-pentyl-
2-cyclopentenone, n-decanal, n-dodecanal, 9-decenol-1,
25 phenoxyethyl isobutyrate, phenyl-acetaldehyde dimethyl-
acetal, phenylacetaldehyde diethylacetal, geranyl nitrile,
citronellyl nitrile, cedryl acetate, 3-isocamphyl-
cyclohexanol, cedryl methyl ether, isolongifolanone,
aubepine nitrile, aubepine, heliotropin, coumarin, eugenol,
30 vanillin, diphenyl oxide, hydroxycitronellal, ionones,
methylionones, isomethylionones, irones, cis-3-hexenol and
esters thereof, indan musks tetralin musks isochroman musks
macrocyclic ketones, macrolactone musks, ethylene
brassylate.

35

Solvents which can be used for fragrance compositions which
contain the amide according to the invention are, for

example: ethanol, isopropanol, diethyleneglycol monoethyl ether, dipropylene glycol, diethyl phthalate, triethyl citrate, isopropyl myristate, etc.

- 5 The quantities in which the amide according to the invention can be used in fragrance compositions or in fragranced products may vary within wide limits and depend, inter alia, on the nature of the product, on the nature and the quantity of the other components of the fragrance
- 10 composition in which the amide is used and on the olfactive effect desired. It is therefore only possible to specify wide limits, which, however, provide sufficient information for the specialist in the art to be able to use the amide according to the invention for his specific purpose. In
- 15 fragrance compositions an amount of 0.01% by weight or more of the amide according to the invention will generally have a perceptible olfactive effect. Preferably the amount is at least 0.1% by weight, more preferably at least 1%. The amount of the amide according to the invention present in
- 20 fragranced products will generally be at least 10 ppm by weight, preferably at least 100 ppm, more preferably at least 1000 ppm.

The amide may be used in fragrance compositions in an

25 amount of up to about 80% by weight.

The amide of the invention is conveniently prepared by acylation of N-ethyl-m-toluidine with propionyl chloride in a generally conventional reaction. For manufacturing

30 purposes it may be preferable to use a propionate ester instead of propionyl chloride as the acylating species. The amide can be produced relatively cheaply compared to many other known fragrance chemicals, and so provides a useful, stable, and easily accesible fragrance material,

35 particularly for the fine fragrance market.

The invention will be further described, by way of illustration, in the following examples and with reference to the accompanying drawings in which Figure 1 shows the reaction scheme for preparation of the amide of the invention.

Example 1

10 N-Ethyl-N-(3-methylphenyl)propionamide was prepared on a laboratory scale by acylation of N-ethyl-m-toluidine with propionyl chloride. The reaction was carried out in a 5 litre 3 necked round bottomed flask equipped with a mechanical stirrer, a thermometer (0-250°C), an addition
15 vessel and a condenser.

Stage 1

N-Ethyl-m-toluidine (ex Aldrich) was distilled through a vigreux column to give a clear liquid distillate for use in
20 the second stage.

Stage 2

Sodium hydroxide (196g, 2.2 mole) was dissolved in water (2 ltr) and the solution added to the flask. Distilled N-
25 Ethyl-m-toluidine (270g, 2.0 mole) in toluene (1 ltr) was added to the hydroxide solution and the mix stirred slowly at 30°C. Propionyl chloride (186g, 2.0 mole) was then added from the addition vessel during 30 mins. During the addition the temperature rose slowly to 70°C. The reaction
30 mix was then stirred for a further 2 hrs and allowed to cool to ambient temperature before being poured into a 5 ltr separating flask. The lower aqueous phase was run off and discarded. The organic phase was washed with hydrochloric acid solution (2 x 2ltr 1.0 molar aqueous) and
35 water (2 x 2 ltr), then dried using magnesium sulphate, filtered and the toluene removed under vacuum using a rotary evaporator.

The crude product (315g) was then fractionated using a 60 cm Sulzer (Sulzer is a Trade Mark) packed column. Fractions b.pt 101-103°C at 4.0 mb were collected. After a total of 212.5g had been distilled, the pot residue began to solidify and the fractionation was terminated. After cooling, the residue was weighed (102g).

The distilled product was analysed by capillary gas chromatography (SE 54) and found to be 99.5% pure.

Example 2


A hyacinth/woody type fragrance composition was prepared according to the following recipe:.

	% w/w
Phenylacetaldehyde 50% in diethyl phthalate	37
Phenyl-ethyl alcohol	10
20 Benzyl acetate	10
Heliotropin	10
Linalol	5
Clove Bud Oil	5
Product of Example 1	<u>23</u>
25	100

CLAIMS

1. Fragrance compositions comprising known fragrance materials and in addition comprising an olfactively effective amount of N-ethyl-N-(3-methylphenyl)-propionamide.
2. Fragrance compositions according to claim 1 comprising at least 0.01% by weight of N-ethyl-N-(3-methylphenyl)-propionamide.
3. Fragrance compositions according to claim 2 comprising at least 0.1% by weight of N-ethyl-N-(3-methylphenyl)-propionamide.
4. Fragranced product comprising an olfactively effective amount of N-ethyl-N-(3-methylphenyl)propionamide.
5. Fragranced product according to claim 4 comprising at least 10 ppm of N-ethyl-N-(3-methylphenyl)propionamide.
6. Fragranced product according to claim 5 comprising at least 100 ppm of N-ethyl-N-(3-methylphenyl)-propionamide.
7. A process for preparing a fragrance composition comprising known fragrance materials which comprises the step of adding thereto an olfactively effective amount of N-ethyl-N-(3-methylphenyl)propionamide.

FIG 1



INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 96/01098

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 C11B9/00 A61K7/46

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 C11B A61K A23L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	DE,A,22 42 464 (L.GIVAUDAN) 15 March 1973 see claims & NL,A,7 210 523 cited in the application -----	1-7

☐ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- *&* document member of the same patent family

Date of the actual completion of the international search

5 August 1996

Date of mailing of the international search report

13. 08. 96

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+ 31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+ 31-70) 340-3016

Authorized officer

Van Moer, A

INTERNATIONAL SEARCH REPORT
Information on patent family members

International Application No
PCT/EP 96/01098

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
DE-A-2242464	15-03-73	CH-A- 558335	31-01-75
		BE-A- 788461	06-03-73
		FR-A- 2250350	30-05-75
		GB-A- 1347814	27-02-74
		NL-A- 7210523	08-03-73
		US-A- 3909462	30-09-75

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.